



# **2000-2002 STATE HEALTH PLAN ANNUAL REPORT**

---

## **APPENDIX C**

**Health Status Data Update**

## Health Status Data Update

### Natality

	1997	1998
Live Births	20,744	20,729
Birth Rate	11.4 per 1,000	11.4 per 1,000
U.S. Birth Rate	14.9 per 1,000	14.6 per 1,000
Teenage Birth Rate	47.9 per 1,000	49.2 per 1,000
U.S. Teenage Birth Rate	52.3 per 1,000	51.1 per 1,000
Low Birthweight Births	8.3%	8.1%
U.S. Low Birthweight Births	7.4%	7.6%

### Mortality

Ten Leading Causes of Death	1997 Ranking	Difference from U.S. Rate	1998 Ranking	Difference from U.S. Rate
Diseases of the Heart	1	+21.2%	1	+20.7%
Cancer	2	+13.8%	2	+11.6%
Stroke	3	+2.4%	3	+1.1
Chronic Obstructive Pulmonary Disease	4	+31.6%	4	+27.6%
Unintentional Injuries, All Forms	5	+22.2%	5	+24.5%
Pneumonia and Influenza	6	+2.9%	7	-3.3%
Diabetes Mellitus	7	+40.8%	6	+41.8%
Nephritis, Nephrotic Syndrome, and Nephrosis	8	+34.0%	8	+50.7%
Suicide	9	+27.8%	9	+10.1%
Septicemia	10	+24.3%	10	+19.8%

	1997	1998
Infant Mortality	9.5 per 1,000 live births	8.1 per 1,000 live births
U.S. Infant Mortality	7.1 per 1,000 live births	7.2 per 1,000 live births

## Behavioral Risk Factors

<b>Prevalence of Current Cigarette Smoking</b>			
	<b>1997</b>	<b>1998</b>	<b>1999</b>
Men	27.3%	29.7%	30.2%
Women	27.6%	26.4%	24.4%
Total	27.4%	27.9%	27.1%

<b>Prevalence of Obesity</b>			
	<b>1997</b>	<b>1998</b>	<b>1999</b>
Men	41.5%	24.8%	24.3%
Women	40.9%	23.1%	24.9%
Total	41.2%	23.9%	24.6%

<b>Prevalence of Sedentary Lifestyle</b>		
	<b>1997</b>	<b>1998</b>
Men	66.9%	43.0%
Women	68.2%	44.4%
Total	67.6%	43.7%

<b>Prevalence of Binge Drinking</b>		
	<b>1997</b>	<b>1999</b>
Men	13.8%	14.5%
Women	3.6%	3.3%
Total	8.4%	8.5%